

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	483	(OLED LED) and (auto-zero) (TFT thin film transistor) and (element adj connect\$3 adj ground\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/11 09:17
L2	21	1 and 345/76-82.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/11 08:50
L3	356	1 and (@ad<="20030929")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/11 08:59
L6	17	(LED OLED) and (power supply) and (TFT thin film transistor and storage capacitor) with (auto-zero)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/11 09:17
L7	7263	(LED OLED) and (power supply) and (TFT thin film transistor and storage capacitor) with (auto-zero phase)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/11 09:19
L8	0	7 and (high adj voltage adj subtract\$3) with threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/11 09:26
L9	3109379	7 and (voltage adj subtract\$3) with different (storage capacitor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/11 09:29
L10	5703	7 and (threshold voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/11 09:30

EAST Search History

L11	139	10 and 345/76-83.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/11 09:30
L12	95	11 and (@ad<="20030929")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/11 09:44
L13	3345	(OLED LED) and (auto zero) and (scan display) and phase with (threshold voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/11 10:19
L14	3192	13 and (constant current)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/11 09:49
L15	2990	14 and (different storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/11 09:50
L16	36	15 and 345/76-83.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/11 09:51
L17	18	15 and 315/169.1-169.4.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/11 10:19
L18	2558522	(OLED LED) and (auto zero) and phase with(threshold voltage) and (constant adj current) and different storage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/11 10:24

EAST Search History

L19	7765	(OLED LED) and (auto zero) and phase with(threshold voltage)and (different storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/11 10:25
L20	16	19 and (adjust\$3 adj brightness)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/11 10:27
L21	37	19 and 345/76-83.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/11 10:27
L22	21	19 and 315/169.1-169.4.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/11 10:28